ELSEVIER

Analytica Chimica Acta 299 (1995) 407–410

ANALYTICA CHIMICA ACTA

Author Index

Akaiwa, H., see Tsunoda, K.-i. 327
Arriaga, E.A.
—, Zhang, Y. and Dovichi, N.J.
Use of 3-(*p*-carboxybenzoyl)quinoline-2-carboxaldehyde to label amino acids for high-sensitivity fluorescence detection in capillary electrophoresis 319

Bishop, P.L., see Galal, A. 145
Bosch, E.
—, Bou, P. and Rosés, M.
Linear description of solute retention in reversed-phase liquid chromatography by a new mobile phase polarity parameter 219
Bou, P., see Bosch, E. 219
Boutron, C.F., see Candelone, J.-P. 9

Candelone, J.-P.
—, Hong, S. and Boutron, C.F.
An improved method for decontaminating polar snow or ice cores for heavy metal analysis 9
Castillo, J.R., see Galbán, J. 277
Clarke, E.T.
—, Solouki, T., Russell, D.H., Martell, A.E. and McManus, D.
Transformation of polysulfidic sulfur to elemental sulfur in a chelated iron, hydrogen sulfide oxidation process 97

Da, H.L., see Da, S.-L. 239
Da, S.-L.
—, Yue, W.G., Wen, Y.F., Da, H.L. and Wang, Z.-H.
Preparation and characterization of bonded stationary phases of nitrogen-containing crown ether for high-performance liquid chromatography 239
Danielsson, B., see Xie, B. 165
De Marcos, S., see Galbán, J. 277
Diamond, D., see Stanley, M.A. 81
Dimandja, J.-M.D.
—, Valentín, J.R. and Phillips, J.B.
Gas chromatographic column for the storage of sample profiles 29
Dimitrova, N., see Dobrevski, I. 37
Dimova-Todorova, M., see Dobrevski, I. 37
Dobrevski, I.
—, Dimova-Todorova, M., Dimitrova, N. and Högfeldt, E.
Ammonium–hydrogen exchange on two carboxylate resins 37

Doherty, A.P., see Stanley, M.A. 81
Dovichi, N.J., see Arriaga, E.A. 319

Entcheva, E.G.
— and Yotova, L.K.
Analytical application of membranes with covalently bound glucose oxidase 171
Esaka, Y., see Kano, K. 69

Forrestal, M., see Stanley, M.A. 81

Galal, A.
—, Wang, Z., Karagözler, A.E., Zimmer, H., Mark, Jr., H.B. and Bishop, P.L.
A potentiometric iodide (and other) ion sensor based on a conducting polymer film electrode. Part II. Effect of electrode conditioning and regeneration techniques 145
Galbán, J.
—, De Marcos, S., Segura, P. and Castillo, J.R.
Determination of lactate by the intrinsic fluorescence of lactate oxidase 277
Gelado-Caballero, M.D., see Herrera-Melián, J.A. 59
Gensler, M.
— and Schmidt, H.-L.
Isolation of the main organic acids from fruit juices and nectars for carbon isotope ratio measurements 231
Gopalan, B., see Radha krishna, G. 285
Goto, M., see Kano, K. 69
Grishko, V.I., see Tran, C.D. 361
Guilbault, G.G., see Hlavay, J. 91

Harada, M.
—, Shibata, M., Kitamori, T. and Sawada, T.
Application of coaxial beam photothermal microscopy to the analysis of a single biological cell in water 343
Haraguchi, H., see Hu, W. 249
Harata, A.
—, Kawasaki, T., Ito, M. and Sawada, T.
Study of electrochemical interfaces by transient reflecting gratings 349
Hattori, H., see Kagawa, K. 393
Hawke, D.J.
— and Powell, H.K.J.
Flow-injection analysis applied to the kinetic determination of reactive (toxic) aluminium: comparison of chromophores 257

Heise, T.W.
— and Yeung, E.S.
Dynamics of matrix-assisted laser desorption as revealed by the associated acoustic signal 377
Hernández-Brito, J., see Herrera-Melián, J.A. 59
Herrera-Melián, J.A.
—, Hernández-Brito, J., Gelado-Caballero, M.D. and Pérez-Peña, J.
Direct determination of cobalt in unpurged oceanic seawater by high speed adsorptive cathodic stripping voltammetry 59
Hisamoto, H.
—, Watanabe, K., Nakagawa, E., Siswanta, D., Shichi, Y. and Suzuki, K.
Flow-through type calcium ion selective optodes based on novel neutral ionophores and a lipophilic anionic dye 179
Hlavay, J.
— and Guilbault, G.G.
Determination of sulphite by use of a fiber-optic biosensor based on a chemiluminescent reaction 91
Hobo, T., see Wu, X.-Z. 333
Högfeldt, E., see Dobrevski, I. 37
Hong, S., see Candelone, J.-P. 9
Hu, W.
—, Tao, H., Tominaga, M., Miyazaki, A. and Haraguchi, H.
A new approach for the simultaneous determination of inorganic cations and anions using ion chromatography 249
Huang, G., see Tran, C.D. 361

Ideta, K., see Ogawa, T. 355
Imasaka, T., see Kaneta, T. 371
Inoue, T., see Ogawa, T. 355
Ishii, M.
—, Itoh, K., Yoshihiro, Y. and Nakamura, T.
Convenient and sensitive chemiluminescent detection system for 2-furancarboxylic acid using a continuous-flow method 269
Ishikane, M., see Kagawa, K. 393
Itabashi, H., see Tsunoda, K.-i. 327
Ito, M., see Harata, A. 349
Ito, Y.
—, Ueki, O. and Nakamura, S.
Determination of colloidal iron in water by laser-induced breakdown spectroscopy 401
Itoh, K., see Ishii, M. 269

Kagawa, K.
—, Hattori, H., Ishikane, M., Ueda, M. and Kurniawan, H.
Atomic emission spectrometric analysis of steel and glass using a TEA CO_2 laser-induced shock wave plasma 393
Kaneta, T.
—, Yamashita, T. and Imasaka, T.
Separation of polycyclic aromatic hydrocarbons by micellar electrokinetic chromatography with laser fluorescence detection 371
Kano, K.
—, Morikage, K., Uno, B., Esaka, Y. and Goto, M.
Enzyme microelectrodes for choline and acetylcholine and their applications 69
Karagözler, A.E., see Galal, A. 145
Kawasaki, T., see Harata, A. 349
Kitamori, T., see Harada, M. 343
Kurniawan, H., see Kagawa, K. 393

Liu, D.-Y., see Wensing, M.W. 1
Love, L.J.C., see Zibas, S.A. 17
Love, M.D.
— and Pardue, H.L.
Systematic comparison of data-processing options for kinetic-based single-component determinations of non-catalysts. Part 1. Review, systematic classification, mathematical descriptions, performance characteristics and perspectives 195
— and Pardue, H.L.
Systematic comparison of data-processing options for kinetic-based single-component determinations of non-catalysts. Part 2. One-rate, two-point/fixed-time, two-rate, three-point/fixed-time options 209

MacCraith, B.D., see Stanley, M.A. 81
Marcos, J.
— and Townshend, A.
Studies on the inhibition of immobilised alkaline phosphatase by metal ions and EDTA in a flow-injection system 129
Mark, Jr., H.B., see Galal, A. 145
Martell, A.E., see Clarke, E.T. 97
Masuhara, H.
— and Sasaki, K.
Time-resolved fluorescence and absorption microspectroscopy of a single microparticle 309
Matsuoka, M., see Takamoto, R. 387
Maxwell, J., see Stanley, M.A. 81
McManus, D., see Clarke, E.T. 97
Mecklenburg, M., see Xie, B. 165
Miyazaki, A., see Hu, W. 249
Monroe, E.T., see Stanton, B.J. 301
Morikage, K., see Kano, K. 69
Murakami, S., see Saito, K. 137
Muromatsu, A., see Saito, K. 137

Nakagawa, E., see Hisamoto, H. 179
Nakajima, K.
—, Ohta, K. and Takada, T.
Study on S_2 emission response from sulphur-containing amino acids in molecular emission cavity analysis 113
Nakamura, S., see Ito, Y. 401
Nakamura, T., see Ishii, M. 269
Nakashima, K., see Ogawa, T. 355
Namba, R., see Takamoto, R. 387

Ogawa, T.
—, Sato, M., Tachibana, M., Ideta, K., Inoue, T. and Nakashima, K.

Dependence of the laser two-photon ionization signal of anthracene on the electron mobility and the excess energy innon-polar solvents 355
Öhman, O., see Xie, B. 165
Ohta, K., see Nakajima, K. 113

Pardue, H.L., see Love, M.D. 195, 209
Pawliszyn, J., see Wu, J. 337
Pelne, A., see Vircavs, M. 291
Pérez-Peña, J., see Herrera-Melián, J.A. 59
Phillips, J.B., see Dimandja, J.-M.D. 29
Potvin, P.G.
Modelling complex solution equilibria III. Error-robust calculation of equilibrium constants from pH or potentiometric titration data 43
Powell, H.K.J., see Hawke, D.J. 257

Radha krishna, G.
—, Ravindra, H.R., Gopalan, B. and Syamsundar, S.
Application of a wavelength dispersive x-ray fluorescence spectrometric technique for the analysis of tantalum intitanium–tantalum alloys 285
Ravindra, H.R., see Radha krishna, G. 285
Rone, V., see Vircavs, M. 291
Rosés, M., see Bosch, E. 219
Russell, D.H., see Clarke, E.T. 97

Saito, K.
—, Taninaka, I., Murakami, S. and Muromatsu, A.
Synthesis of thiacrown ether carboxylic acids and their characteristics as extractants for metal ions 137
Saka Amini, M.A.
— and Vallon, J.J.
Comparison of performances and analytical applications of two immobilized oxalate oxidase sensors 75
Sasaki, K., see Masuhara, H. 309
Sato, M., see Ogawa, T. 355
Sawada, T., see Harada, M. 343
Sawada, T., see Harata, A. 349
Sawada, T., see Takamoto, R. 387
Schmidt, H.-L., see Gensler, M. 231
Segura, P., see Galbán, J. 277
Shibata, M., see Harada, M. 343
Shichi, Y., see Hisamoto, H. 179
Shindoh, H., see Wu, X.-Z. 333
Siswanta, D., see Hisamoto, H. 179
Smith, B.W., see Wensing, M.W. 1
Solouki, T., see Clarke, E.T. 97
Stanley, M.A.
—, Maxwell, J., Forrestal, M., Doherty, A.P., MacCraith, B.D., Diamond, D. and Vos, J.G.
Comparison of the analytical capabilities of an amperometric and an optical sensor for the determination of nitrate in river and well water 81
Stanton, B.J.
—, Monroe, E.T. and Wehry, E.L.
Pump-probe laser photolytic fragmentation fluorescence spectrometry of methyl vinyl ketone, methacrolein and crotonaldehyde 301
Suzuki, K., see Hisamoto, H. 179
Syamsundar, S., see Radha krishna, G. 285

Tachibana, M., see Ogawa, T. 355
Takada, T., see Nakajima, K. 113
Takamoto, R.
—, Yamamoto, S., Namba, R., Matsuoka, M. and Sawada, T.
New percutaneous absorptiometry by a laser photoacoustic method using an open-ended cell 387
Taninaka, I., see Saito, K. 137
Tao, H., see Hu, W. 249
Tominaga, M., see Hu, W. 249
Townshend, A., see Marcos, J. 129
Tran, C.D.
—, Huang, G. and Grishko, V.I.
Direct and indirect detection of liquid chromatography by infrared thermal lens spectrometry 361
Tsunoda, K.-i.
—, Itabashi, H. and Akaiwa, H.
Application of the glass slab optical waveguide to the spectrophotometric determination of the iron(II)–1,10-phenanthroline complex by flow analysis 327

Ueda, M., see Kagawa, K. 393
Ueki, O., see Ito, Y. 401
Uno, B., see Kano, K. 69

Valentín, J.R., see Dimandja, J.-M.D. 29
Vallon, J.J., see Saka Amini, M.A. 75
Vircava, D., see Vircavs, M. 291
Vircavs, M.
—, Rone, V., Pelne, A. and Vircava, D.
Coprecipitation behaviour of 5,8-polyquinolyl polydisulphide for trace element preconcentration from aqueous solution 291
Vos, J.G., see Stanley, M.A. 81

Wang, E., see Zhou, W. 189
Wang, Z., see Galal, A. 145
Wang, Z.-H., see Da, S.-L. 239
Watanabe, K., see Hisamoto, H. 179
Wehry, E.L., see Stanton, B.J. 301
Wen, Y.F., see Da, S.-L. 239
Wensing, M.W.
—, Liu, D.-Y., Smith, B.W. and Winefordner, J.D.
Determination of lead in whole blood using a capacitively coupled microwave plasma atomic emission spectrometer 1
Winefordner, J.D., see Wensing, M.W. 1
Winquist, F., see Xie, B. 165
Wu, J.
— and Pawliszyn, J.
Diode laser-based concentration gradient imaging detector for capillary isoelectric focusing 337
Wu, M., see Zhou, W. 189
Wu, X.-Z.
—, Shindoh, H. and Hobo, T.

Thermooptical flow-injection determination for hydrogen peroxide based on an enzymic reaction heat-induced optical beam deflection 333

Xie, B.
—, Mecklenburg, M., Danielsson, B., Öhman, O. and Winquist, F.
Microbiosensor based on an integrated thermopile 165
Xu, L., see Zhou, W. 189, 189

Yamamoto, S., see Takamoto, R. 387
Yamashita, T., see Kaneta, T. 371
Yeung, E.S., see Heise, T.W. 377
Yoshihiro, Y., see Ishii, M. 269
Yotova, L.K., see Entcheva, E.G. 171
Yue, W.G., see Da, S.-L. 239

Zhang, Y., see Arriaga, E.A. 319
Zhou, W.
—, Xu, L., Wu, M., Xu, L. and Wang, E.
Determination of hydrazines by capillary zone electrophoresis with amperometric detection at a platinum particle-modified carbon fibre microelectrode 189
Zibas, S.A.
— and Love, L.J.C.
Solute–micelle interactions in zwitterionic micellar chromatography 17
Zimmer, H., see Galal, A. 145